

# 100kg/h Fried Dough Extruder Machine ordered by Laos-Chinese Customer

100kg/h Fried Dough Extruder Machine ordered by Laos-Chinese Customer By Colombia Customer by Shandong Loyal Industrial Co.,Ltd. , we provide latest information about the products regularly.

A Chinese living in Laos, he is former engineer in the paper industry, he was dispatched to Laos by a company before, he and his family have lived there for 15 years, his wife is laotian, he is now retired, and he wants to build for his son a small food factory in Laos. Through the introduction of acquaintances, he came to visit our factory.



*Fried Pasta Sample*

By visiting our factory, customers understand the process of the entire production line, and then he chose the output of 100kg/h:

No.	Name	Quantity	
1	Flour Mixer	1 Set	1100x
2	Food Grade Pvc Hoister	1 Set	1500x
3	Continuous Pressing Machine	1 Set	2700x
4	Food Grade Pvc Hoister	1 Set	1500x
5	Ly-2000 Fryer Machine?Electric?With Oil Filter	1 Set	2200x
6	Food Grade Pvc Hoister	1Set	3800*
	Rolling Flavoring Machine		
	Seasoning Podwer Machine		
	Oil Sprayer		
7	Food Grade Pvc Hoister	1Set	1500x



### 100kg/h Fried Dough Extruder Machine ordered by Laos-China Factory

The fried dough snack machine is suitable for pressing flour and other raw materials through multiple pressing rollers. It is cut into different shapes by a special mechanism. After frying and flavoring by fryer machine, drum flavoring machine, we can get crispy and delicious snacks food such as Malaysia Shrimp Pasta, fried sticks, square pellet, chips. Etc. We can offer full design processing machine and recipe for processing fried dough snack. The fried dough snack has reasonable design and simple operation.

When communicating with Chinese customers in Laos, customers are more concerned about the operation and installation of the machine. We introduce some steps to operate and inspect the machine:

#### **Installation And Commissioning:**

1. The four feet of the machine should be flat to reduce vibration; the ground wire should bottom of the frame (equipotential terminal) to prevent the danger of leakage.
2. Check whether the fasteners are loose, and check whether the power cord switch is in
3. Add an appropriate amount of lubricating oil to the gear.

4. Add an appropriate amount of lubricating oil to each oil hole or oil cup and insist on adding.
5. The operation should be stable without abnormal noise.
6. After the empty car runs for 30 minutes, check the solid parts before starting the work.

At the same time, we also talked about some after-sales installation issues:

Item No.	Service Of Fried Dough Extruder Machine
1	12 months warranty.
2	Free one-year oven consumable parts.
3	Before the machine leaves the factory, our senior engineers will complete the customer requirements.
4	Provide video installation, installation instructions, operation instructions and instructions during the epidemic.
5	Engineers and business personnel provide 24-hour online technical guidance Ensure that the customer's production line can be put into production.
6	After the epidemic, senior engineers (more than 10 years of experience in the customer factories for field installation training.